ELSEVIER

Neuroscience Letters 305 (2001) 209–212

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 305

Aït-Ikhlef, A., see Blondet, B., 202
Aguilar, R., see Sánchez-Criado, J.E., 73
Åkerman, K.E.O., see Holmqvist, T., 177
Aksenov, M.Y., Hasselrot, U., Bansal, A.K., Wu, G., Nath, A., Anderson, C., Mactutus, C.F., Booze, R.M., Oxidative damage induced by the injection of HIV-1 Tat protein in the rat striatum, 5
Alekseyenko, O.V., see Avgustinovich, D.F., 189
Anderson, C., see Aksenov, M.Y., 5
Ando, R., see Tachibana, T., 131
Anthony, D.C., see Pringle, A.K., 29
Aoki, Y., see Hirouchi, M., 193
Arango, G., see Arboleda, G.H., 135
Arboleda, G.H., Yunis, J.J., Pardo, R., Gómez, C.M., Hedmont, D., Arango, G., Arboleda, H., Apolipoprotein E genotyping in a sample of Colombian patients with Alzheimer's disease, 135
Arboleda, H., see Arboleda, G.H., 135
Arendt-Nielsen, L., see Chang, P.-F., 49
Ashizawa, T., see Tan, E.K., 70
Atcheson, R., see Joyce, P.I., 161
Avgustinovich, D.F., Alekseyenko, O.V., Tenditnik, M.V., Fighting among C57BL/6J mice and its implications for [^{3}H]8-hydroxy-*N*, *N*-dipropyl-2-aminotetralin binding in various brain regions, 189

Bansal, A.K., see Aksenov, M.Y., 5
Bellido, C., see Sánchez-Criado, J.E., 73
Bernstein, H.-G., see Keilhoff, G., 173
Berthoz, A., see Vieilledent, S., 65
Biello, S.M., see Smart, C.M., 33
Bing, G., see Feng, Z., 17
Blondet, B., Aït-Ikhlef, A., Murawsky, M., Rieger, F., Transient massive DNA fragmentation in nervous system during the early course of a murine neurodegenerative disease, 202
Bonnier, R., see Florence, G., 99
Booze, R.M., see Aksenov, M.Y., 5
Bradt, B., see Shen, Y., 165
Brailoiu, G.C., see Dun, S.L., 9
Burbach, J.P.H., see Reijmers, L.G.J.E., 145
Butterworth, R., see O'Boyle, D.J., 37

Carvalho, A.D., see Irusta, A.E.C., 115
Ceña, V., see Luque, J.M., 87
Chang, J.K., see Dun, S.L., 9
Chang, P.-F., Arendt-Nielsen, L., Graven-Nielsen, T., Svensson, P., Chen, A.C.N., Topographic effects of tonic cutaneous nociceptive stimulation on human electroencephalograph, 49
Chen, A.C.N., see Chang, P.-F., 49
Chen, C.-F., see Ko, M.-L., 139
Cho, G.J., see Kim, J.H., 107
Cho, Y.-Y., see Kim, J.H., 107
Choi, W.S., see Kim, J.H., 107
Cody, F.W.J., see O'Boyle, D.J., 37
Coimbra, N.C., see Irusta, A.E.C., 115
Cooper, N.R., see Shen, Y., 165
Cyong, J.-C., see Itokazu, N., 123

Dalbera, S., see Vieilledent, S., 65
Deguchi, K., see Homma, S., 1
Diekamp, B., Hellmann, B., Troje, N.F., Wang, S.R., Güntürkün, O., Electrophysiological and anatomical evidence for a direct projection from the nucleus of the basal optic root to the nucleus rotundus in pigeons, 103
Dun, N.J., see Dun, S.L., 9
Dun, S.L., Brailoiu, G.C., Yang, J., Chang, J.K., Dun, N.J., Urotensin II-immunoreactivity in the brainstem and spinal cord of the rat, 9

El Ouezzani, S., Lafon, P., Tramu, G., Magoul, R., Neuropeptide Y gene expression in the jerboa arcuate nucleus: modulation by food deprivation and relationship with hibernation, 21
El Ouezzani, S., Lafon, P., Tramu, G., Magoul, R., Neuropeptide Y gene expression in the jerboa arcuate nucleus: modulation by food deprivation and relationship with hibernation, 127
Etienne, X., see Florence, G., 99

Federmeier, K.D., Kirson, D.A., Moreno, E.M., Kutas, M., Effects of transient, mild mood states on semantic memory organization and use: an event-related potential investigation in humans, 149
Feneberg, W., see Padberg, F., 13
Feng, Z., Kong, L.-Y., Qi, Q., Ho, S.-L., Tiao, N., Bing, G., Han, Y.-F., Induction of unspliced c-fos messenger RNA in rodent brain by kainic acid and lipopolysaccharide, 17
Findlay, G.S., Ueno, S., Harrison, N.L., Harris, R.A., Erratum to "Allosteric modulation in spontaneously active mutant γ-aminobutyric acid$_A$ receptors" [Neurosci. Lett. 293 (2000) 155–158], 76
Florence, G., Bonnier, R., Riondet, L., Plagnes, D., Lagarde, D., Van Beers, P., Serra, A., Etienne, X., Tran, D., Cerebral cortical blood flow during loss of consciousness induced by gravitational stress in rhesus monkeys, 99
Freitas, R.L., see Irusta, A.E.C., 115
Fukushima, K., see Kiuchi, Y., 119
Fukushima, K., see Saito, T., 61
Furuse, M., see Tachibana, T., 131

Gao, T.M., see Huang, H., 83
Garrido-Gracia, J.C., see Sánchez-Criado, J.E., 73
Goguen, D., see Piggins, H.D., 25
Gómez, C.M., see Arboleda, G.H., 135
Gong, L.-W., see Huang, H., 83
González-García, C., see Luque, J.M., 87

PII: S0304-3940(01)01916-4

Goux, W.J., see Shen, Y., 165
Gozal, D., see Gozal, E., 197
Gozal, E., Row, B.W., Schurr, A., Gozal, D., Developmental differences in cortical and hippocampal vulnerability to intermittent hypoxia in the rat, 197
Graven-Nielsen, T., see Chang, P.-F., 49
Güntürkün, O., see Diekamp, B., 103

Haase, C.G., see Padberg, F., 13
Hampel, H., see Padberg, F., 13
Han, X.Y., see Homma, S., 1
Han, Y.-F., see Feng, Z., 17
Harris, R.A., see Findlay, G.S., 76
Harrison, N.L., see Findlay, G.S., 76
Hasselrot, U., see Aksenov, M.Y., 5
Hayakawa, T., see Tanaka, K., 111
Hedmont, D., see Arboleda, G.H., 135
Heffernan, A.M., see Joyce, P.I., 161
Hejzlar, J., see Zhao, L.R., 169
Hellmann, B., see Diekamp, B., 103
Henry, J.L., see Pitcher, G.M., 45
Henshall, D.C., Skradski, S.L., Lan, J.-Q., Ren, T., Simon, R.P., Increased Bcl-w expression following focally evoked limbic seizures in the rat, 153
Herbert, M.K., Just, H., Schmidt, R.F., Histamine excites groups III and IV afferents from the cat knee joint depending on their resting activity, 95
Hirouchi, M., Itoh, Y., Aoki, Y., Oka, M., Ukai, Y., Reversal by NS-7, a neuroprotective compound, of the decrease in transcription factor CREB mRNA expression in rat brain after permanent middle cerebral artery occlusion, 193
Ho, S.-L., see Feng, Z., 17
Hoekstra, K., see Reijmers, L.G.J.E., 145
Holmqvist, T., Åkerman, K.E.O., Kukkonen, J.P., High specificity of human orexin receptors for orexins over neuropeptide Y and other neuropeptides, 177
Homma, S., Matsunami, K., Han, X.Y., Deguchi, K., Hippocampus in relation to mental sweating response evoked by memory recall and mental calculation: a human electroencephalography study with dipole tracing, 1
Hu, D.-N., see Ko, M.-L., 139
Huang, H., Gao, T.M., Gong, L.-W., Zhuang, Z.-Y., Li, X., Potassium channel blocker TEA prevents CA1 hippocampal injury following transient forebrain ischemia in adult rats, 83

Iannotti, F., see Pringle, A.K., 29
Imai, C., Sugai, T., Iritani, S., Niizato, K., Nakamura, R., Makifuchi, T., Kakita, A., Takahashi, H., Nawa, H., A quantitative study on the expression of synapsin II and N-ethylmaleimide-sensitive fusion protein in schizophrenic patients, 185
Iritani, S., see Imai, C., 185
Irusta, A.E.C., Savoldi, M., Kishi, R., Resende, G.C.C., Freitas, R.L., Carvalho, A.D., Coimbra, N.C., Psychopharmacological evidences for the involvement of muscarinic and nicotinic cholinergic receptors on sweet substance-induced analgesia in *Rattus norvegicus*, 115
Ishizaki, M., Oka, Y., Erratum to "Amperometric recording of gonadotropin-releasing hormone release activity in the pituitary of the dwarf gourami (teleost) brain-pituitary slices" [Neurosci. Lett. 299 (2001) 121-124], 207
Isobe, Y., see Kiuchi, Y., 119
Isobe, Y., see Saito, T., 61
Itoh, Y., see Hirouchi, M., 193
Itokazu, N., Yamamoto, K., Ouchi, Y., Cyong, J.-C., Establishment of L-3,4-Dihydroxyphenilalaninde-induced pharmacological dementia model mouse, 123
Izaki, Y., Takita, M., Jay, T.M., Kaneko, H., Suzuki, S.S., Nomura, M., Effect of long-term potentiation induction on gamma-band electroencephalograms in prefrontal cortex following stimulation of rat hippocampus in vivo, 57

Jankovic, J., see Tan, E.K., 70
Jay, T.V.M., see Izaki, Y., 57
Jiang, X.-F., Namura, S., Nagata, I., Matrix metalloproteinase inhibitor KB-R7685 attenuates brain damage resulting from permanent focal cerebral ischemia in mice, 41
Johansson, B.B., see Zhao, L.R., 169
Johns, P., see Pringle, A.K., 29
Johnson, G.V.W., see Shen, Y., 165
Joyce, P.I., Atcheson, R., Marcus, R.J., Heffernan, A.M., Rowbotham, D.J., Lambert, D.G., Interaction of local anaesthetic agents with the endogenous norepinephrine transporter in SH-SY5Y human neuroblastoma cells, 161
Just, H., see Herbert, M.K., 95

Kakita, A., see Imai, C., 185
Kaneko, H., see Izaki, Y., 57
Kang, S.S., see Kim, J.H., 107
Katoh, Y., Niimi, M., Yamamoto, Y., Kawamura, T., Morimoto-Ishizuka, T., Sawada, M., Takemori, H., Yamatodani, A., Histamine production by cultured microglial mice cells, 181
Kawakami, S.-I., see Tachibana, T., 131
Kawamura, T., see Katoh, Y., 181
Keilhoff, G., Wolf, G., Bernstein, H.-G., Altered laminar distribution of hippocampal zinc in mutant mice lacking neuronal nitric oxide synthase. A histochemical study, 173
Kerlirzin, Y., see Vieilledent, S., 65
Khajavi, M., see Tan, E.K., 70
Kijima, H., see Saito, T., 61
Kim, H.J., see Kim, J.H., 107
Kim, J.E., see Kim, J.H., 107
Kim, J.H., Kim, J.E., Kim, H.J., Roh, G.S., Yoo, J.M., Kang, S.S., Cho, Y.-Y., Cho, G.J., Choi, W.S., Ethanol decreases the expression of mitochondrial cytochrome c oxidase mRNA in the rat, 107
Kirson, D.A., see Federmeier, K.D., 149
Kishi, R., see Irusta, A.E.C., 115
Kiuchi, Y., Isobe, Y., Fukushima, K., Entactin-induced inhibition of human amyloid β-protein fibril formation in vitro, 119
Kiuchi, Y., see Saito, T., 61
Knoll, W., see Yeung, C.K., 208
Ko, M.-L., Hu, D.-N., Ritch, R., Sharma, S.C., Chen, C.-F., Patterns of retinal ganglion cell survival after brain-derived neurotrophic factor administration in hypertensive eyes of rats, 139
Kobayashi, H., Mizisin, A.P., Nerve growth factor and neurotrophin-3 promote chemotaxis of mouse macrophages in vitro, 157
Kokaia, Z., see Zhao, L.R., 169
Kong, L.-Y., see Feng, Z., 17
Kukkonen, J.P., see Holmqvist, T., 177
Kuo, Y.-M., see Shen, Y., 165
Kutas, M., see Federmeier, K.D., 149

Lafon, P., see El Ouezzani, S., 127

Lafon, P., see El Ouezzani, S., 21
Lagarde, D., see Florence, G., 99
Lambert, D.G., see Joyce, P.I., 161
Lan, J.-Q., see Henshall, D.C., 153
Lauer, L., see Yeung, C.K., 208
Lee, V., see Shen, Y., 165
Li, X., see Huang, H., 83
Lue, L.-F., see Shen, Y., 165
Luque, J.M., Puig, N., Martínez, J.M., González-García, C., Ceña, V., Glutamate *N*-methyl-D-aspartate receptor blockade prevents induction of GAP-43 after focal ischemia in rats, 87

Mactutus, C.F., see Aksenov, M.Y., 5
Maeda, S., see Tanaka, K., 111
Magoul, R., see El Ouezzani, S., 127
Magoul, R., see El Ouezzani, S., 21
Makifuchi, T., see Imai, C., 185
Marchant, E.G., see Piggins, H.D., 25
Marcus, R.J., see Joyce, P.I., 161
Martínez, J.M., see Luque, J.M., 87
Matsunami, K., see Homma, S., 1
Matsuura, T., see Tan, E.K., 70
Mizisin, A.P., see Kobayashi, H., 157
Moore, C.E.G., see O'Boyle, D.J., 37
Moreno, E.M., see Federmeier, K.D., 149
Morimoto-Ishizuka, T., see Katoh, Y., 181
Mozrzymas, J.W., see Żarnowska, E.D., 53
Murawsky, M., see Blondet, B., 202

Nagamitsu, S., see Tan, E.K., 70
Nagata, I., see Jiang, X.-F., 41
Nakamura, R., see Imai, C., 185
Namura, S., see Jiang, X.-F., 41
Nath, A., see Aksenov, M.Y., 5
Nawa, H., see Imai, C., 185
Niimi, M., see Katoh, Y., 181
Niizato, K., see Imai, C., 185
Niyadurupola, N., see Pringle, A.K., 29
Nomura, M., see Izaki, Y., 57
O'Boyle, D.J., Moore, C.E.G., Poliakoff, E., Butterworth, R., Sutton, A., Cody, F.W.J., Human locognosic acuity on the arm varies with explicit and implicit manipulations of attention: implications for interpreting elevated tactile acuity on an amputation stump, 37

Offenhäusser, A., see Yeung, C.K., 208
Ohgushi, A., see Tachibana, T., 131
Oka, M., see Hirouchi, M., 193
Oka, Y., see Ishizaki, M., 207
Ondo, W., see Tan, E.K., 70
Ouchi, Y., see Itokazu, N., 123

Padberg, F., Haase, C.G., Feneberg, W., Schwarz, M.J., Hampel, H., No association between anti-myelin oligodendrocyte glycoprotein antibodies and serum/cerebrospinal fluid levels of the soluble interleukin-6 receptor complex in multiple sclerosis, 13
Pardo, R., see Arboleda, G.H., 135
Piggins, H.D., Marchant, E.G., Goguen, D., Rusak, B., Phase-shifting effects of pituitary adenylate cyclase activating polypeptide on hamster wheel-running rhythms, 25
Pitcher, G.M., Henry, J.L., Meloxicam selectively depresses the after-discharge of rat spinal dorsal horn neurones in response to noxious stimulation, 45
Plagnes, D., see Florence, G., 99
Poliakoff, E., see O'Boyle, D.J., 37
Pringle, A.K., Niyadurupola, N., Johns, P., Anthony, D.C., Iannotti, F., Interleukin-1β exacerbates hypoxia-induced neuronal damage, but attenuates toxicity produced by simulated ischaemia and excitotoxicity in rat organotypic hippocampal slice cultures, 29
Puig, N., see Luque, J.M., 87

Qi, Q., see Feng, Z., 17

Reijmers, L.G.J.E., Hoekstra, K., Burbach, J.P.H., van Ree, J.M., Spruijt, B.M., Long-term impairment of social memory in the rat after social defeat is not restored by desglycinamide–vasopressin, 145
Ren, T., see Henshall, D.C., 153
Resende, G.C.C., see Irusta, A.E.C., 115
Rieger, F., see Blondet, B., 202
Riondet, L., see Florence, G., 99
Risedal, A., see Zhao, L.R., 169
Ritch, R., see Ko, M.-L., 139
Rogers, J., see Shen, Y., 165
Roh, G.S., see Kim, J.H., 107
Roher, A., see Shen, Y., 165
Row, B.W., see Gozal, E., 197
Rowbotham, D.J., see Joyce, P.I., 161
Rusak, B., see Piggins, H.D., 25

Saito, T., Kijima, H., Kiuchi, Y., Isobe, Y., Fukushima, K., β-amyloid induces caspase-dependent early neurotoxic change in PC12 cells: correlation with H_2O_2 neurotoxicity, 61
Sánchez-Criado, J.E., Bellido, C., Aguilar, R., Garrido-Gracia, J.C., Antiprogestin RU486 blunts the stimulatory effect of galanin on LH secretion from rat pituitaries in vitro in an estrous cycle stage-dependent manner, 73
Savoldi, M., see Irusta, A.E.C., 115
Sawada, M., see Katoh, Y., 181
Schmidt, R.F., see Herbert, M.K., 95
Schurr, A., see Gozal, E., 197
Schwarz, M.J., see Padberg, F., 13
Seki, M., see Tanaka, K., 111
Serra, A., see Florence, G., 99
Sharma, S.C., see Ko, M.-L., 139
Shen, Y., Lue, L.-F., Yang, L.-B., Roher, A., Kuo, Y.-M., Strohmeyer, R., Goux, W.J., Lee, V., Johnson, G.V.W., Webster, S.D., Cooper, N.R., Bradt, B., Rogers, J., Complement activation by neurofibrillary tangles in Alzheimer's disease, 165
Simon, R.P., see Henshall, D.C., 153
Skradski, S.L., see Henshall, D.C., 153
Smart, C.M., Biello, S.M., WAY-100635, a specific 5-HT1A antagonist, can increase the responsiveness of the mammalian circadian pacemaker to photic stimuli, 33
Spruijt, B.M., see Reijmers, L.G.J.E., 145
Strohmeyer, R., see Shen, Y., 165
Sugahara, K., see Tachibana, T., 131
Sugai, T., see Imai, C., 185
Sutton, A., see O'Boyle, D.J., 37
Suzuki, S.S., see Izaki, Y., 57
Svensson, P., see Chang, P.-F., 49

Tachibana, T., Sugahara, K., Ohgushi, A., Ando, R., Kawakami, S.-I., Yoshimatsu, T., Furuse, M., Intracerebroventricular injection of agouti-related protein attenuates the anorexigenic effect of alpha-melanocyte stimulating hormone in neonatal chicks, 131
Takahashi, H., see Imai, C., 185
Takanaga, A., see Tanaka, K., 111
Takemori, H., see Katoh, Y., 181
Takita, M., see Izaki, Y., 57
Tan, E.K., Nagamitsu, S., Matsuura, T., Khajavi, M., Jankovic, J., Ondo, W., Ashizawa, T., Alcohol dehydrogenase polymorphism and Parkinson's disease, 70
Tanaka, K., Takanaga, A., Hayakawa, T., Maeda, S., Seki, M., The intrinsic origin of nitric oxide synthase immunoreactive nerve fibers in the right atrium of the guinea pig, 111
Tenditnik, M.V., see Avgustinovich, D.F., 189
Tiao, N., see Feng, Z., 17
Tramu, G., see El Ouezzani, S., 127
Tramu, G., see El Ouezzani, S., 21
Tran, D., see Florence, G., 99
Troje, N.F., see Diekamp, B., 103
Turski, W.A., see Zuchora, B., 91

Ueno, S., see Findlay, G.S., 76
Ukai, Y., see Hirouchi, M., 193
Urbańska, E.M., see Zuchora, B., 91

Van Beers, P., see Florence, G., 99
van Ree, J.M., see Reijmers, L.G.J.E., 145
Vieilledent, S., Kerlirzin, Y., Dalbera, S., Berthoz, A., Relationship between velocity and curvature of a human locomotor trajectory, 65

Wang, S.R., see Diekamp, B., 103
Webster, S.D., see Shen, Y., 165
Wielosz, M., see Zuchora, B., 91
Wojcik, A., see Zhao, L.R., 169
Wolf, G., see Keilhoff, G., 173
Wu, G., see Aksenov, M.Y., 5

Yamamoto, K., see Itokazu, N., 123
Yamamoto, Y., see Katoh, Y., 181
Yamatodani, A., see Katoh, Y., 181
Yang, J., see Dun, S.L., 9
Yang, L.-B., see Shen, Y., 165
Yeung, C.K., Lauer, L., Offenhäusser, A., Knoll, W., Erratum to "Modulation of the growth and guidance of the rat brain stem neurons using patterned extracellular matrix proteins" [Neurosci. Lett. 301 (2001) 147–150], 208
Yoo, J.M., see Kim, J.H., 107
Yoshimatsu, T., see Tachibana, T., 131
Yunis, J.J., see Arboleda, G.H., 135
Żarnowska, E.D., Mozrzymas, J.W., Differential effects of chlorpromazine on ionotropic glutamate receptors in cultured rat hippocampal neurons, 53
Zhao, L.R., Risedal, A., Wojcik, A., Hejzlar, J., Johansson, B.B., Kokaia, Z., Enriched environment influences brain-derived neurotrophic factor levels in rat forebrain after focal stroke, 169
Zhuang, Z.-Y., see Huang, H., 83
Zuchora, B., Turski, W.A., Wielosz, M., Urbańska, E.M., Protective effect of adenosine receptor agonists in a new model of epilepsy – seizures evoked by mitochondrial toxin, 3-nitropropionic acid, in mice, 91